

# 2015 Robinson R44 Raven II

---

SN: 13750 REG: N433LM





  
**Sellacopter™**



## 2015 Robinson R44 Raven II

SN: 13750  
REG: N433LM

(512).886.8220  
John.L@sellacopter.com  
www.sellacopter.com

### AIRFRAME

Airframe Total Time: 694 hours  
No Known Damage History

### ENGINE

Engine Total Time: 694 hours  
Serial No: L-35899-48E

### MAINTENANCE

Complete Records Since New  
MR Blades Replaced Dec 2019 @450hrs  
Last Annual Inspection: April 2024  
Extensive Inspection Performed During Annual

### ADDITIONAL EQUIPMENT

Dual Controls

### AVIONICS / INSTRUMENTS

Aspen 1000H  
Garmin 725 w/ ADS-B IN (Pilot Side Accessory Bar)  
GTX 330ES Transponder w/ ADS-B Out  
GMA 350 Audio Panel  
2x GTR 225B Comms  
Integra ELT

### EXTERIOR

Blue with Silver Accent Stripe  
9/10

### INTERIOR

New Gray Leather Interior  
10/10

\*Specifications and times are subject to verification. Aircraft offered is subject to prior sale, lease, and / or withdrawal from the market.\*



R44  
Raven II

N433LM

DANGER

DANGER





  
**Sellacopter™**



N433LM

R44  
Raven II

DANGER

DANGER





CLUTCH MR TEMP MR CHIP CARBON MONOXIDE STARTER ON TR CHIP LOW FUEL LOW RPM FUEL FILTER AUX FUEL PUMP ALT ENG FIRE OIL GOV OFF



M800 CHRONOMETER  
UT 00:00  
LT  
ET  
SELECT CONTROL  
AVTRON

N433LM



PRIME BOTH  
ENGAGE R OFF  
DISENGAGE  
BRAKE

Sellacopter™



# R44 Raven II

PANEL LTS

DIM

MIXTURE  
PULL OFF

PULL (V) VENT

NAV LTS STROBE AVIONICS ALT BATTERY

ON OFF ON OFF ON OFF ON OFF ON OFF

MKR MUTE

COM1 COM2 COM3 NAV AUX MUSIC MAN SQ

MIC1 MIC2 MIC3 TRFC PILOT COPLT PASS SPKR

SPLIT COM

VOL CRSR

COM

GTR 225B SW VER: 2.02 PRESS ANY KEY TO CONTINUE

AVN DB: 05-FEB-15 (1502)

DB REGION: GTR

MON

COM MEM ICS FUNC CLR ENT

TUNE

MIN

COM

GTR 225B SW VER: 2.02 PRESS ANY KEY TO CONTINUE

AVN DB: 05-FEB-15 (1502)

DB REGION: GTR

MON

COM MEM ICS FUNC CLR ENT

TUNE

MIN

GARMIN

IDENT ON

VFR STOP ALT OFF

1200 PRESSURE ALT

FL 000

0 1 2 3 4 5 6 7 8 9

FUNG WSR

START STOP CLR



INSTALL FUEL CO



No. 2  
COM




  
**Sellacopter™**







  
**Sellacopter™**



**CAUTION**  
HOLD TUBE FAR AWAY FROM FIRE WHILE DRIVING.  
WHEN TUBE IS EMPTY, VALVE CLOSED.  
TUBE SEALED WITH CLAMP BEFORE








  
**Sellacopter™**





ROBINSON HELICOPTER CO.  
PART NO. C154-1  
REV. G 8411

ROBINSON HELICOPTER CO.  
PART NO. 6251-2  
REV. P R776



Sellacopter™





1-855-SELLACOPTER (735-5226)

[Sales@sellacopter.com](mailto:Sales@sellacopter.com)

[Sellacopter.com](http://Sellacopter.com)