

# 2003 Robinson R44 Raven II

---

SN: 10062 REG: N233TR





N233TR



## 2003 Robinson R44 Raven II

SN: 10062  
REG: N233TR

(512).877.8993  
lan.s@sellacopter.com  
www.sellacopter.com

### AIRFRAME

TSMOH: 1,019.3 hours  
Airframe Total Time: 5,416.8 hours

### ENGINE

TSMOH: 1,019.3 hours  
Engine Total Time: 4,158.0 hours  
Serial No: L-30752-48A

### MAINTENANCE

All AD's and SB's Complied with  
AD Compliant TR Blades - August 2023  
Last Overhaul: October 2017

### ADDITIONAL EQUIPMENT

Bear Paws  
Fuel Bladders  
Ground Handling Wheels  
Dual Controls

### AVIONICS / INSTRUMENTS

9-Hole IFR Panel  
Attitude Indicator  
Turn Coordinator  
VOR Receiver w/ Glideslope  
Directional Gyro  
Garmin GNS 430 Nav/Comm  
GTX 345 Transponder w/ ADS-B In & Out  
Garmin GMA 340 Audio Controller

### EXTERIOR

Yellow with Black & White Stripes  
8/10  
Painted 2017

### INTERIOR

Dark Gray Leather  
8/10

\*Specifications and times are subject to verification. Aircraft offered is subject to prior sale, lease, and / or withdrawal from the market.\*





  
Sellacopter™

QUITCH MR TEMP MR CHIP CARBON MONOXIDE STARTER ON TR CHIP LOW FUEL LOW F

TURN COORDINATOR  
L 2 MIN. R  
NO PITCH INFORMATION

AL  
CALIBRATED TO FEASIBLE FEET  
299  
300

KNOTS  
20 30 40 50 60 70 80 90 100 110 120 130 140 160  
AIR SPEED  
100 80 60 40 20

E R  
110 100 90 80 70 60 50  
110 100 90 80 70 60 50  
RPM

DO NOT EXCEED 110 KIAS EXCEPT IN SMOOTH AIR

VERTICAL SPEED  
100 FEET PER MINUTE  
UP 5 10 15 20  
DOWN 5 10 15 20

0 3 6 9 12 15 18 21 24 27 30 33  
GIBBY

0 30 60 90 120 150 180 210 240 270 300 330 360  
PUSH

MANIFOLD PRESSURE  
INCHES OF MERCURY  
20 25 30 35  
CAUTION  
DO NOT EXCEED  
MP TABLE LIMITS

N233TR

Universal 43

QUARTZ  
1/10  
HOURS

QUARTZ CHRONOMETER

TIMER CLOCK  
BT/A  
BT/B  
BT/C

PANEL LTS

BRA

FUEL FILTER AUX FUEL PUMP ALT ENG FIRE OIL GOV OFF

R44 Raven II

AUX 17.0 US GAL

29.5 US GAL

1/2 F 20 350 500

PANEL LTS BRA

NAV LTS STROBE

CLUTCH ALT MASTER BATTERY

MIXTURE PULL LEAN/OFF

Vent

LOCK

GARMIN GMA 340

A M MKR MUTE COM1 COM2 COM3 NAV1 NAV2 DME ADF TEST

PILOT SENS HI LO COM1 MIC COM2 MIC COM3 MIC COM 1/2 SPKR CABIN AUDIO ICS ISOLATION PA PILOT CREW

COPILOT

GARMIN GNS 430

C VOL 50 VOL ID

COM/VLOC

CDI OBS MSG FPL PROC

RNG MENU CLR ENT GPS

PUSH CRSR

GARMIN

ON IDNT OFF VFR

ADS-B IN and OUT installed

FUNC CLR ENT

0 1 2 3 4 5 6 7 8 9



At. 6211001



CLUTCH MR TEMP MR CHP CARBON MONOXIDE STARTER ON TR CHP LOW FUEL LOW RPM

TURN COORDINATOR 2 MIN. NO PITCH INFORMATION  
ALT 0 1 2 3 4 5 6 7 8 9  
RPM 0 10 20 30 40 50 60 70 80 90 100 110 120 130 140 150  
VERTICAL SPEED 100 FEET PER MINUTE 10 20 30 40 50 60 70 80 90 100  
HEADING 24 27 30 33 36 39 42 45 48 51 54 57 60  
MANIFOLD PRESSURE 0 5 10 15 20 25 30 35 40 45 50  
CAUTION DO NOT EXCEED HP TABLE LIMITS

N233TR

QUARTZ ALTITUDE 1.5 & 5 SEALS 1 Year WARRANTY  
R44 Raven II  
QUARTZ COMPASS/HEADING  
FUEL 17.5 US GAL  
FUEL 17.5 US GAL  
FUEL 17.5 US GAL  
VENT

ROE P44 Pilot's Handbook  
ROE P44 Pilot's Handbook  
ROE P44 Pilot's Handbook  
AOR-8 IN and OUT INTERCOM

Sellacopter™





  
**Sellacopter™**



  
**Sellacopter™**





1-855-SELLACOPTER (735-5226)

[Sales@sellacopter.com](mailto:Sales@sellacopter.com)

[Sellacopter.com](http://Sellacopter.com)